

Cooker hob Power Glass



Gas hobs

Code: 7042 632

DETAILS

Type	Gas Hob
Edge/Installation Type	Standard (8 mm Edge)
Material	Tempered glass
Coloring	Black
Heating element	Five burners
Base size	60 cm
Width	70 cm
Dimensions	700 x 510 mm
Built-in hole	560 x 480 mm

Supply	220 - 240 V; 50/60 Hz
Total power	10.950 W
Auxiliary	1.000 W
Semirapid	1.750 W + 1.400 W (reduced)
Rapid	2.800 W
Double crown	4.000 W
Grids	Cast iron grids and enamelled burner covers
Ignition	Electric ignition under knob
Safety	Safety valve with quick-acting thermocouple
Gas type	Tested for installation with natural gas, LPG nozzle set included.

FEATURES

Cast iron grids	Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning.
Narrow cut-out	These 5 burners products for standard built-in installation require a cut-out of only 56 cm, i.e. less than their nominal width. This makes them an interesting alternative for 60 cm models, which usually require the same cut-out.
Safe cooking	All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.

Special burners

Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking.

Under-knob ignition

The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.

TECHNICAL DATA

