

Version	Filtering hood body - Wall - 120 cm - Customisable front panel - 500 m3/h
Design	Falmec Lab
Collection	Elements

TECHNICAL FEATURES

Materials/Finishes	Matt black painted steel
Materials/Finishes	Customisable frontal panel
Technology	Multi-Air technology
Features	Extractable tempered glass flap with integrated control Modular system
Control	Touch control
Function	Extracting/Filtering
Lighting	Dynamic Light (2700K - 5600K) Strip LED - 2700 K / 5600 K
Filters	Metallic grease filter, removable and washable Combined Carbon.Zeo filter, regenerable
Motor	Brushless Motor
Dimensions	120 cm
Notes	Spare parts: Spare parts: Filter Carbon.Zeo KACL.966 for hoods manufactured up to 08.09.2023 Filter Carbon.Zeo Microtech KACL.1058 for hoods manufactured after 08.09.2023

CONNECTION AND CONSUMPTION FUNCTIONS

Maximum consumption	200 W
Voltage/Frequency	220-240V 50-60Hz

MOTOR

Motor	Brushless Motor Brushless 500 m³/h
Maximum capacity	
Maximum sound level	
Energy class	

WEIGHTS AND VOLUMES

Gross weight	28.9 kg
Net weight	26.4 kg
Volume	0.14 m3
Packaging dimensions	L 1295 x H 232 x P 465 mm

Optional accessories

Code	Description
KACL.968	Regenerable Carbon.Zeo spare filter from 09.08.2023 until 15.04.2025
KACL.459#3F	Plant basin Shelf 60 cm
KACL.458#3F	Plant basin Shelf 90 cm
KACL.1029#HF	Kit end covers

Optional accessories

<i>Code</i>	<i>Description</i>
KACL.966	Regenerable Carbon.Zeo filter spare part (284x127 mm) for hoods produced until 09.08.2023
KACL.1058	Carbon.Zeo Microtech regenerable spare filter for hoods manufactured after 08.09.2023 (2x)

FLOW RATE / PRESSURE