

## CEPAGE52DZF

Wine Cellar service



Freestanding

### GENERAL INFORMATION

**Number of bottles : 52**

**Number of zones : 2**

**Adjustable temperature range : 5-20°C**

**Noise level : 37dB**

**Energy class : F**

**Climate class : ST (16-38)**

**Vinotag compatible : Yes**

### Product description

**Service wine cellar :** The CEPAGE52DZF wine cellar allows the wine to be brought to temperature before tasting. Bringing it to temperature awakens the aromas and allows you to appreciate the wine during tasting. Equipped with two separate temperature zones with independent settings, it allows several types of wine to be brought to tasting temperature in the same cellar simultaneously.


**Storage and presentation :** The tempered glass door protects the wine from light and highlights it, equipped with a Low E glass filter it also reduces the exchange of cold and heat for optimized energy consumption. The wine collection is preserved while being accessible and presented on traditional beech wood shelves.

**CLIMADIFF expertise :** With its expertise acquired over generations, Climadiff preserves and brings wine to serving temperature. Carefully preserved in our cellars, wine ages and improves, becoming your heritage.



#### DUAL TEMPERATURE ZONE

Store and refresh all your wines at the correct temperature in the same cellar




#### LED LIGHT

LED lighting highlights the wine without harming it or disturbing its storage



#### WOODEN SHELF

Traditional and aesthetic they absorb vibrations



#### VINOTAG COMPATIBLE

Free wine cellar management application. Access a virtual representation of your cellar and a detailed inventory

# CEPAGE52DZF

EAN-13 - 3595320108170

## Capacity and Temperature

- **Number of bottles: 52**
  - Upper zone : 21
  - Lower zone : 31
- **Adjustable temperature: 5-20°C**
  - Upper zone : 5-20°C
  - Lower zone : 5-20°C

## Door

**Door color :** Black  
**Door glass color :** Grey  
**Number of glass layers :** 3  
**Low-e glass :** Yes  
**Tempered glass :** Yes  
**Lock :** No  
**Reversible door :** No  
**Handle type :** Integrated  
**Self-closing door :** No  
**Door dimensions (WxDxH) :** 49.7x5.5x81.5

## Security

**Alarm :** Temperature  
**Winter system :** No  
**Temperature memory :** Yes

## Logistic

**Net dimensions (WxDxH):** 49.5 x 59.9 x 83.5  
**Gross dimensions (WxDxH):** 54.5 x 65.0 x 87.0  
**Net weight (kg) :** 38.0  
**Gross weight (kg) :** 40.0

## Technical Data

**Energy class :** F  
**Annual energy (KWh/a) :** 105  
**Climate class :** ST (16-38)  
**Noise level :** 37dB / C  
**Energy Efficiency Index :** 125 %  
**Power input :** 85.00 W  
**Voltage :** 220-240 V  
**Length of power cable :** 200 cm  
**Plug Type :** E type  
**Type of gas :** R600a  
**Gas charge :** 22 g  
**Main cooling system :** Air moving system  
**Evaporator number :** 2  
**Adjustable feet :** 4 / 1 cm

## Light

**Light source :** LED  
**Light color(s) :** Cold White  
**Dimmable light :** no  
**Light switch :** yes  
**Permanent light option :** Yes

**Qty per 20' :** 95  
**Qty per 40' :** 196  
**Qty per 40 HC :** 228  
**Customs code :**

# CEPAGE52DZF

EAN-13 - 3595320108170



## Accessories

- 4 shelves, wooden, sliding

## Built-in information

**Installation warning :** This unit is intended for free standing installation only. It must never be built under or built in