



AVI47XDZA

Wine Cellar service

Built-in column



GENERAL INFORMATION

Number of bottles : 52

Number of zones : 2

Adjustable temperature range : 5-18°C

Noise level : 36dB

Energy class : G

Climate class : SN (10-32)

Vinotag compatible : Yes

Product description

Column-Integrated Wine Cellar: Elegance and Performance for Your Tastings

Discover a column-integrated wine cellar designed to enhance your tasting moments with a dual temperature zone. Perfect for storing your bottles at distinct temperatures, it allows you to fully reveal the aromas of your finest wines.


Fitting seamlessly into an 88 cm niche, it combines practicality and aesthetics for flawless integration into your living space. Operating quietly with a noise level of just 36 dB, it discreetly blends into your interior.

Equipped with a presentation shelf at the bottom, it's ideal for showcasing your most treasured bottles. An elegant and high-performance solution for discerning wine enthusiasts.



DUAL TEMPERATURE ZONE

Store and refresh all your wines at the correct temperature in the same cellar



PRESENTATION SHELF

For a highlight of your most beautiful bottles in vertical position



LOW NOISE LEVEL

Experience tranquility with our silent wine cellar and install safely your collection at your living space



VINOTAG COMPATIBLE

Free wine cellar management application. Access a virtual representation of your cellar

AVI47XDZA

EAN-13 - 3595320105339

Capacity and Temperature

- **Number of bottles: 52**
 - Upper zone : 24
 - Lower zone : 28
- **Adjustable temperature: 5-18°C**
 - Upper zone : 5-18°C
 - Lower zone : 5-18°C

Door

Door color : Stainless steel
Door glass color : Grey
Number of glass layers : 3
Anti-UV : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar

Security

Alarm : Door, Temperature
Child lock : No
Temperature memory : No

Logistic

Net dimensions (WxDxH): 59.5 x 55.7 x 88.7
Gross dimensions (WxDxH): 65.0 x 65.0 x 94.0

Technical Data

Energy class : G
Annual energy (KWh/a) : 162
Climate class : SN (10-32)
Noise level : 36dB / C
Energy Efficiency Index : 188 %
Power input : 24.00 W
Voltage : 220-240 V
Length of power cable : 200 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 40 g
Mainly recyclable product : Yes
Type of compressor : inverter
Main cooling system : Air moving system
Anti-vibration system : Yes
Adjustable feet : 4 / 1 cm


Light

Light source : LED
Light color(s) : White
Dimmable light : no
Light switch : yes
Permanent light option : Yes

Qtty per 20' : 54
Qtty per 40' : 108
Qtty per 40 HC : 148
Customs code : 84185090

AVI47XDZA

EAN-13 - 3595320105339



Accessories

- 4 shelves, wooden, sliding
- 1 presentation shelf, wooden

Built-in information

Built-in dimensions (WxDxH) : 56.00 x 55.00 x 87.80

Warning installation : Hot air must be driven by the ventilation to the rear wall of the cellar and then expelled upwards. The ventilation channels shall be at least 200 square centimeters in cross-section. Warning: to ensure proper operation, the ventilation grilles must never be obstructed or covered.

